

## PRODUCT INFORMATION



### **SB-AW Bollard**

A bollard is a short post used to prevent traffic from entering an area. According to the Traffic Calming Organization, bollards can be used, either to control the amount of traffic entering a location or area by limiting movements, or to control traffic speed by narrowing the available space.

We have different type of bollard, to suit your needs.

## Specifications

Type	Thickness	Dimension	Material	Colour
Type 1	1.5mm	60cm (H) 76mm (D)	Galvanized steel	Yellow-Black Red-White
	2.0mm	60cm (H) 76mm (D)	Galvanized steel	Yellow-Black Red-White
	3.0mm	60cm (H) 76mm (D)	Galvanized steel	Yellow-Black Red-White
Type 2	1.5mm	75cm (H) 76mm (D)	Galvanized steel	Yellow-Black Red-White
	2.0mm	75cm (H) 76mm (D)	Galvanized steel	Yellow-Black Red White
	3.0mm	75cm (H) 76mm (D)	Galvanized steel	Yellow-Black Red-White
Type 3	1.5mm	75cm (H) 89mm (D)	Galvanized steel	Yellow-Black Red-White
	2.0mm	75cm (H) 89mm (D)	Galvanized steel	Yellow-Black Red White
	3.0mm	75cm (H) 89mm (D)	Galvanized steel	Yellow-Black Red-White
Type 4	1.5mm	100cm (H) 76mm (D) 89mm (D)	Galvanized steel	Red-White
	2.0mm	100cm (H) 76mm (D) 89mm (D)	Galvanized steel	Red White
	3.0mm	100cm (H) 76mm (D) 89mm (D)	Galvanized steel	Red-White
Type 5	1.5mm	120cm (H) 76mm (D) 89mm (D)	Galvanized steel	Red-White
	2.0mm	120cm (H) 76mm (D) 89mm (D)	Galvanized steel	Red White
	3.0mm	120cm (H) 76mm (D) 89mm (D)	Galvanized steel	Red-White

NOTE: For more information on size, colour and materials, please contact us today!



## ***SB-AW Bollard (AWRTSLWSB02)***

---

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the preceding is made in lieu of all warranties, expressed or implied.